











Dro



FIO	rite
YEOGN11M07D0WBS000	YEOGN11M07D0WB0000
7 trays GN 1/1	7 trays GN 1/1
70 mm	70 mm
850x890x890	850x890x890
105 kg	105 kg
18 kW	18 kW
380-415 V / 3 N	380-415 V / 3 N
IPx 4	IPx 4

Lita

	Pro	Lite
Code model	YEOGN11M11D0WBS000	YEOGN11M11D0WB0000
Capacity	11 trays GN 1/1	11 trays GN 1/1
Pitch	70 mm	70 mm
Dimension mm (LxDxH)	850x890x1170	850x890x1170
Weight (kg)	142 kg	142 kg
Power	24 kW	24 kW
Voltage	380-415 V / 3 N	380-415 V / 3 N
IP protection level	IPx 4	IPx 4

# Main features (Pro unit)

- $\hfill\square$  Convection, combi and steam cooking with fixed time or core probe function
- ☐ Temperature settable from 30°C to 280°C
- ACT Technology (Advanced Clima Technology) with energy conservation thanks to the automatic climate regulation
- ☐ Manual, programmed or automatic cooking mode
- Pre uploaded YESRECIPES book divided into categories
- MYCOOKBOOK for saving programs into customizable folders
- ☐ Manual or automatic pre-heating mode settable up to 300°c
- Possibility to save up to 10 cooking phases per program
- HOLD function at the end of the cooking
- 10" multilingual Touchscreen display
- Click&Share function to save recipes with your cover images
- $\ \square$  USB interface for HACCP data downloading
- ☐ Integrated WIFI connection configuration
- $\hfill\square$  Alarms display with autodiagnosis system
- Special cycles: Delta T, Time's up for synchronized cookings, Cook&Go for simultaneous cookings, rapid cooking chamber cooldown, regeneration with core probe or fixed-time mode, proofing cycle
- ☐ Manual humidity supply function
- $\ \square$  FastSteam technology for immediate steam generation
- YesSteam technology for steam generation with high efficiency steamer
- Programmable FCS technology (Fast Chimney System) for forced extraction of humidity
- Automatic SCS technology (Smart Chimney System) for forced extraction of humidity

- ☐ Settable ventilation speeds (7) + pulse speed with automatic inversion of fans rotation
- ☐ 304 stainless steel molded cooking chamber
- Ergonomic and lightweight handle compliant with HACCP standards
- □ 304 stainless steel control panel structure
- ☐ Frontal structure with screwless system
- $\square$  Simply-removable control panel
- ☐ Simply-approachable right side
- Simply approachable motor compartment
- ☐ Integrated humidity collector aisle
- Multi-point core probe with external link to the cooking chamber included
- Integrated syphon
- Adjustable feet
- lacksquare Stackable kit configuration
- ☐ Simply-removable tray holder
- Reversible door opening R/L\*
- □ Double glass door with high thermic insulation and easy inspection with safety fan stop system when the door is open
- ☐ Halogen inner lamps in the cooking chamber
- Retractable shower included\*\*
- Automatic washing system with monocomponent YesClean (4+1 cycles)
- Automatic special cycle for limescale removal from the steamer
- Loading detergent function
- ☐ Integrated mono product tanks (YesClean and YesCal)

<sup>\*</sup> Optional only at the order placement

ege		YEOGN11M07D 0WBS000	YEOGN11M07D 0WB0000	YEOGN11M11D 0WBS000	YEOGN11M11D
	Code model	√e ov	\   	       	_ ♯ â
	Capacity	7	7	11	11
quipment unit	Pro unit (full optional) Lite unit	•	•	•	•
	Classic unit				
	Convection, combi and steam cooking				
ooking type	Convection, combi and steam cooking with fixed time or core probe function  Convection, combi and steam cooking with fixed time or core probe function (mono-point core probe optional)	•	•	•	•
ooking type	Convection, combi and steam cooking with fixed time or core probe function (multi-point core probe optional)				
	ACT technology (advanced clima technology) with energy conservation thanks to the automatic climate regulation	•	•	•	•
emperature	Temperature settable from 30°c to 280°c	•	•	•	•
ooking mode	Manual cooking mode Programmed cooking mode	•		•	
g	Automatic cooking mode	•	•	•	•
	Data storage for the saving programs (99)			_	
ecipes memory	Pre uploaded YESRECIPES book divided into categories  MYCOOKBOOK for saving programs into customizable folders	•	•	•	•
	Rapid display of free and in use positions				
	5 cooking phases per program				
ooking phases	10 cooking phases per program	•	•	•	•
	HOLD function at the end of the cooking  Manual or automatic pre-heating mode settable up to 280°c			•	
e-heating	Manual or automatic pre-heating mode settable up to 300°c	•	•	•	•
	Manual controls				
ven interface	Multi-function digital display  Multi-function digital display with Yesclima function				
	Multi-function digital display with Yescilma function  10"multilingual touchscreen display	•	•	•	•
	Click&Share function to save recipes with your cover images	•	•	•	•
ripheral devices	USB interface for data uploading and downloading (HACCP data also)	•	•	•	•
	Configuration for integrated WIFI connection	•		•	0
odifications and	Possibility to modify cooking parameters during the cycle in operation Instant display of set cooking parameters				0
splay	Instant display of the set-up cooking program	•	•	•	•
	Alarms display with autodiagnosis system	•	•	•	•
	Delta T special cooking cycle Time's Up special cycle for synchronized cookings	•		•	•
	Cook&Go special cycle for simultaneous cookings	•	•	•	•
pecial cycles	Rapid cooking chamber cool-down special cycle	•	•	•	•
pocial cycles	Regeneration special cycle	•	•	•	•
	Proofing special cycle  Special cycle time extension at the end of the cooking process		•	•	•
	Rapid cancellation of memorized recipes	•	•	•	•
	Manual humidity supply function	•	•	•	•
umidity and eam generation	Humidity release from 0% to 100% Fast Steam technology for immediate steam generation				
eam generation	YesSteam technology for steam generation with high-efficiency steamer	•		•	•
	Manual system for forced extraction of humidity				
umidity extraction	Programmable FCS technology (fast chimney system) for forced extraction of humidity	•	•	•	•
	Automatic SCS technology (smart chimney system) for forced extraction of humidity  Mono-fan heat supply system	•		•	•
eat supply	Multi-fan heat supply system			•	•
	Special ventilation SOFT-BAKING				
ans speed	Settable ventilation speeds (3) with automatic inversion of fan rotation	•			
	Settable ventilation speeds (7) with automatic inversion of fan rotation  Special ventilation pulse speed with automatic inversion of fan rotation	•	•	•	
	304 stainless steel cooking chamber				
ooking chamber	304 stainless steel molded cooking chamber	•	•	•	•
	316 stainless steel molded cooking chamber 304 stainless steel control panel structure	••			00
	Frontal structure with screwless system				0
	Simply-removable control panel	•	•	•	•
	Simply-approachable right side	•	•	•	•
	Simply-approachable motor compartment Integrated humidity collector aisle		•	•	
ion otri oti iro	Double chimney	•	•	•	•
ven structure	Mono-point core probe with external link to the cooking chamber				
	Multi-point core probe with external link to the cooking chamber		•	•	
	Integrated syphon Adjustable feet				0
	Stackable kit configuration	••	••	••	0
	Simply removable rack holder	••	••	••	00
	Simply removable tray holder Ergonomic and lightweight handle compliant with HACCP standards	•	•	•	
oor	Reversible door opening R/L (optional only at the order placement)			00	0
	Double glass door of easy inspection with high thermic insulation	•	•	•	•
hting	Halogen inner lamps in the cooking chamber	•	•	•	•
curity	Cooling fan for components protection Safety fanstop when the door is open		•	•	
	Manual external shower				0
	Retractable shower	•		•	
ashing	Automatic washing system with monocomponent YesClean (4+1 cycles)	•	•	•	•
	Loading detergent function for checking the washing system status  Integrated monoproduct tank (YesClean)	•		•	9
	Integrated monoproduct tank (YesClean)  Integrated monoproduct tanks (YesClean and YesCal)			•	



#### **All** Line

260700004-V	External shower kit
400100013	YesClean detergent (box with 12 pcs 1Kg each)
400100022	YesCal limescale product for steamer washing (box with 12 pcs 1kg each)
260900001	Cartridge filter mod.XL with connection head
260900001-1	Cartridge filter mod.XL
260900001-3-V	Connection head for cartridge filter mod.XL
YSTW	Stand wheels kit
061200013-V	Multi-point core probe for Ego, Star, Ego Rack and Ego Slim ovens
061200007-V	Single-point core probe for Mood and Taos ovens

#### Ho.Re.Ca & Arte Bianca Line

no.ke.Ca & Arte	Didiica Line
ON DEMAND	Stainless steel AISI 316 cooking chamber for Ego and Star 6/7 trays ovens (lot of 5 pcs.)
ON DEMAND	Stainless steel AISI 316 cooking chamber for Ego and Star 10/11 trays ovens (lot of 5 pcs.)
390200008	6 trays 600x400 rackholder (Rod Frame)
390200001	6 trays 600x400 trayholder ("L" plate)
390100006	7 trays GN 1/1 rackholder (Rod frame)
390200002	7 trays GN 1/1 trayholder ("L" plate)
390200005	10 trays 600x400 rackholder (Rod frame)
390200003	10 trays 600x400 trayholder ("L" plate)
390100007	11 trays GN 1/1 rackholder (Rod frame)
390200004	11 trays GN 1/1 trayholder ("L" plate)
	Reversible door opening R/L (optional only at the order placement)
YSTDP	6 levels stand (LxDxH) 850x890x720 mm
YSTSTK	Stand for stackable column (LxDxH) 850x850x282 mm
YSTKIT-00000	Stackable kit
YSTKIT-06000	Stackable kit with hood con- nection tubes kit
YSTKITC-0000	Hood connection tubes kit (Only)
YCAP10010101010001	Condensation hood
YCAP10NC0101010000	Hood (Without condensing kit)
YCAP20010101010000	Condensation hood for Slim ovens
YPSTK6040-D0000D00	12 trays 600x400 digital ventilated proofer (LxDxH) 850x930x740 mm

## **Special** Line

142000013-V	20 trays GN1/1 trolley for Ego Rack
142000015-V	16 trays 600x400 trolley for Ego Rack
YSTSLIM	6 levels stand (LxDxH) 513x908x687 mm for Ego Slim

#### **GN1/1** Trays

,	
220100006	Aluminium not-stick tray for 6 eggs d.53x32,5 (lot of 5 pcs.)
220100007	Steel granite enameled tray h.20 GN 1/1 (lot of 5 pcs.)
220100009	Pizza tray d.53x32,5 cm (lot of 2 pcs.)
220100014	Aluminium non-stick perforated tray h.20 d. 53x32,5 cm (lot of 5 pcs.)
220100015	Aluminium non-stick tray h.20 d.53x32,5 cm (lot of 5 pcs.)
230100002	Chromed grill rack d.53x32,5 cm (lot of 5 pcs.)
230100005	Roast chicken tray (8 spikes) d.53x32,5 cm (lot of 5 pcs.)
230100006	Grill tray d.53x32,5 cm (lot of 5 pcs.)
220200003	Stainless steel tray h.20 d.53x32,5 cm (lot of 5 pcs.)
220200002	Stainless steel tray h.40 d.53x32,5 cm (lot of 3 pcs.)
220200004	Stainless steel perforated tray h.20 d.53x32,5 (lot of 5 pcs.)
220100005	Fry steel tray h.40 d.53x32,5 cm (lot of 2 pcs.)

### **600x400** Trays

220100001	Aluminium tray h.20 600x400 (lot of 5 pcs.)
220100008	Pizza tray h.20 600x400 (lot of 2 pcs.)
220100010	Aluminium perforated tray h.20 600x400 (lot of 5 pcs.)
230100001	Grill rack tray 600x400 (lot of 5 pcs.)
220100019	Baguette alluminium perforated tray 600x400 (lot of 2 pcs.)